







NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG.NO.	NOTE
1	52X0B001/53X0B001	PLATFORM ASSEMBLY(R)	1			
2	52X0B002/53X0B002	PLATFORM ASSEMBLY(L)	1			
3	52X0C002/52X0C003/53X0C000	BASE ASSEMBLY(R/L)	2(R1/L1)			
4	52X0E002/52X0E003	LINK 1 ASSEMBLY(R/L)	2(R1/L1)			
5	52X0F002/52X0F003	LINK 2 ASSEMBLY(R/L)	2(R1/L1)			
6	52X0G003	CYLINDER ASSEMBLY(MASTER)	2		52XG00A/53XG00A	
7	52X0G203	CYLINDER ASSEMBLY(SLAVE)	2		52XG20A/53XG20A	
8		MAIN UPPER LOCKER ASSEMBLY	2		52XG30A/53XG30A	
9	52G75000/52G75001	TIRE STOPPER(R/L)	2(R1/L1)		52XH50A/53XH50A	ON-GROUND TYPE
10		SIDE SLIP ASSEMBLY	2			
11	52G05500	RAMP ASSEMBLY	2		52XL00A/53XL00A	ON-GROUND TYPE
12	31X00235	HOSE PROTECT COVER(2)	3	2.3t*35*135*1000L	52X003A/53X003A	ON-GROUND TYPE
13	52G06100	CONNECT RAMP	2		52XP00A/53XP00A	ON-GROUND TYPE
14	52G99000-001/53G99000-001	CONTROL PANEL ASSEMBLY	1			
	52G99000-002/53G99000-002	CONTROL PANEL ASSEMBLY(KCs)	1			KCs TYPE ONLY
15	52G53000	CENTER ROLLING JACK CROSS BAR ASS'Y	2			
16	J0320000	JACK ASSEMBLY J03 HYD. TYPE(52G, 53G)(1)	1			
17	J0320000	JACK ASSEMBLY J03 HYD. TYPE(52G, 53G)(2)	1			




NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG.NO.	NOTE
1	52X0B001/53X0B001	PLATFORM ASSEMBLY(R)	1			
2	52X0B002/53X0B002	PLATFORM ASSEMBLY(L)	1			
3	52X0C002/52X0C003/53X0C000	BASE ASSEMBLY(R/L)	2(R1/L1)			
4	52X0E002/52X0E003	LINK 1 ASSEMBLY(R/L)	2(R1/L1)			
5	52X0F002/52X0F003	LINK 2 ASSEMBLY(R/L)	2(R1/L1)			
6	52X0G003	CYLINDER ASSEMBLY(MASTER)	2		52XG00A/53XG00A	
7	52X0G203	CYLINDER ASSEMBLY(SLAVE)	2		52XG20A/53XG20A	
8		MAIN UPPER LOCKER ASSEMBLY	2		52XG30A/53XG30A	
9	52G51000	TIRE STOPPER(1)	2		52XH10A/53XH10A	IN-GROUND TYPE
10	52G52000/52G52001	TIRE STOPPER(2)(R/L)	2(R1/L1)		52XH20A/53XH20A	IN-GROUND TYPE
11		SIDE SLIP ASSEMBLY	2			
12	52G99000-001/53G99000-001	CONTROL PANEL ASSEMBLY	1			
	52G99000-002/53G99000-002	CONTROL PANEL ASSEMBLY(KCs)	1			KCs TYPE ONLY
13	52G53000	CENTER ROLLING JACK CROSS BAR ASS'Y	2			
14	J0320000	JACK ASSEMBLY J03 HYD. TYPE(52G,53G)(1)	1			
15	J0320000	JACK ASSEMBLY J03 HYD. TYPE(52G,53G)(2)	1			
16	52G79995/53G79995	PIT FRAME ASSEMBLY(52G/53G)	1		52XA10A/53XA10A	IN-GROUND TYPE




NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG.NO.	NOTE
1	52G01000/53G01000	MAIN PLATFORM(R)	1		52XB00A/53XB00A	
2	52G01500/53G01500	MAIN PLATFORM(L)	1		52XB00A/53XB00A	
3	WBM0815	WRENCH BOLT	8	M8*15L		
4	WSM08	SPRING WASHER	8	M8		
5	WPM08	PLAIN WASHER	8	M8		
6	HEXM1230	HEX BOLT	6	M12*30L		
7	WSM12	SPRING WASHER	6	M12		
8	WPM12	PLAIN WASHER	6	M12		
9	HEXM1430	HEX BOLT	6	M14*30L		
10	WSM14	SPRING WASHER	6	M14		
11	WPM14	PLAIN WASHER	6	M14		
12	HEXM1470	HEX BOLT	2	M14*70L		
13	HN14	HEX NUT	2	M14		
14	L5BAB200	FOOT PLATE	1	6t*65*400*349.9	52XB20A/53XB20A	
15	MWBM0815	SET SCREW	4	M8*15L		
16	L5BAB190	HEAD PROTECT RUBBER	2	^41.5*40L	52XB29A/53XB29A	
17	52G11240	JACK SWITCH BOX	1		52XB34A/53XB34A	
18	WOE-6310MG	SEESAW SWITCH	2	6P3EJ 10A		
19	RHCBM0508	ROUND HEAD BOLT	8	M5*8L		
20	WSM05	SPRING WASHER	8	M5		
21	52G01350	PLATFORM CENTER COVER(2)	1	2.3t*58*570	52XB36A/53XB36A	
22	52G11250	JACK SWITCH BOX COVER	1	1.6t*43.5*330	52XB38A/53XB38A	
23	RHCBM0408	ROUND HEAD BOLT	2	M4*8L		
24	WSM04	SPRING WASHER	2	M4		
27	52XB0610	AUXILIARY PLATFORM	2	4.5t*57*475*570	52XB61A/53XB61A	
28	52G00300	AUXILIARY PLATFORM(1)	4		52XN30A/53XN30A	
29		SIDE SLIP ASSEMBLY	2			
30	53GP9000	WORKING LAMP	4		53XB26A	HL-53X ONLY
31	53G62000	WORKING LAMP COVER	8	3.2t*30*42*43.6	53XB39A	HL-53X ONLY



NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG. NO.	NOTE
1	52X0C000	BASE(R)	1		52XC00A/53XC00A	
2	52X0C001	BASE(L)	1		52XC00A/53XC00A	
3	ANCW-16-125	WEDGE ANCHOR BOLT	12	M16*125L		
4	52X0C030	BASE LINK SHAFT	2	^35*452L	52XC03A/53XC03A	
5	MWBM1650	SET SCREW	12	M16*50L		
6	HN3M16	HEX NUT(THIN)	20	M16		
7	GN-1/8S	GREASE NIPPLE	2	PT1/8"*ST		
8	DU3540	DU BUSHING	4	DU3540		
9	HEXBM0515	HEX BOLT(BRASS)	1	M5*15L		
10	HNBM05	HEX NUT(BRASS)	2	M5		
11	52F02550	SAFETY SENSOR AUXILIARY BRACKET	1	3.2t*35*55	53XC15A	HL-53X ONLY
12	RHCBM0405	ROUND HEAD BOLT	2	M4*5L		HL-53X ONLY
13	WSM04	SPRING WASHER	4	M4		HL-53X ONLY
14	WPM04	PLAIN WASHER	4	M4		HL-53X ONLY
15	RHCBM0408	ROUND HEAD BOLT	2	M4*8L		HL-53X ONLY
16	MWBM1640	SET SCREW	8	M16*40L		
17	DU3525	DU BUSHING	4	DU3525		
18	52F02180	PROXIMITY SENSOR BRACKET	1	2.3t*15*34*30	53XC26A	HL-53X ONLY
19	52F10360	HARNESS(PROXIMITY SENSOR)(15)	1	200L	53XW10A	HL-53X ONLY
20	RHCBM0420	ROUND HEAD BOLT	2	M4*20L		HL-53X ONLY
21	52X0B650	BASE FOOT PROTECT GUIDE(R)	1	1.6t*104*144*2620	52XB65A	HL-52X ONLY
22	52X0B651	BASE FOOT PROTECT GUIDE(L)	1	1.6t*104*144*2620	52XB65A	HL-52X ONLY




NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG.NO.	NOTE
1	52X0E000	LINK 1(R)	1		52XE00A/53XE00A	
2	52X0E001	LINK 1(L)	1		52XE00A/53XE00A	
3	MWB0815	SET SCREW	20	M8*15L		
4	DU4040	DU BUSHING	4	DU4040		
5	52G03515	CYLINDER BOTTOM SHAFT	2	~40*357L	52XE07A/53XE07A	
6	52X0E200	CYLINDER UPPER SHAFT(1)	2	~35*355L	52XE20A/53XE20A	
7	52G00040	PLATFORM SLIDER	4	37*80*82	52XE23A/53XE23A	
8	52X0E240	EDGE RUBBER	2	31*80L	52XE24A/53XE24A	
9	52X0F000	LINK 2(R)	1		52XF00A/53XF00A	
10	52X0F001	LINK 2(L)	1		52XF00A/53XF00A	
11	DU3540	DU BUSHING	4	DU3540		
12	GN-1/8S	GREASE NIPPLE	6	PT1/8"*ST		
13	DU4050	DU BUSHING	4	DU4050		
14	52G04055	LINK CENTER SHAFT	2	~40*375L	52XF09A/53XF09A	
15	SN-CS40	CIRCLIP	4	CS40		
16	52G04060	CYLINDER UPPER SHAFT	2	~35*260L	52XF10A/53XF10A	
17	52G04070	MAIN PLATFORM SHAFT	2	~35*476L	52XF13A/53XF13A	
18	52X0F190	LINK 2 HOSE GUIDE(4)	2	1.6t*26*36*140	52XF19A/53XF19A	
19	TRTBM0513	TRUSS HEAD TAPPING BOLT	4	M5*13L		
20	52X0F200	CYLINDER BOTTOM SHAFT(2)	2	~40*262L	52XF20A/53XF20A	
21	52G00050	BASE SLIDER	4	33.5*80*84.5	52XF23A/53XF23A	
22	52X0F240	EDGE RUBBER	2	31*70L	52XF24A/53XF24A	




NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG.NO.	NOTE
1	52X0G001	TUBE(MASTER)	2			
2	52X0G002	ROD BAR(MASTER)	2			
3	L5BAG030	PISTON(MASTER)	2	~99*42.5L	52XG03B/53XG03B	
4	UHP1008509-V	U-PACKING(UHP100)-(VALQUA)	4	~100*~85*9B-V		
5	WEAR1009510P	WEAR RING(POLY)	2	~100*95*2.5T*10H		
6	OROP44	O-RING	2	P44		
7	WBHM1635	WRENCH BOLT(H)	4	M16*35L		
8	L5BAG040	HEAD COVER(MASTER)	2	~114*41L	52XG04A/53XG04A	
9	DHS435105	DUST SEAL	2	~43*~51*5B		
10	ROD43536	ROD SEAL	4	~43*~53*6B		
11	WEAR434810	WEAR RING	2	~43*~48*10B		
12	ORG95	O-RING	2	G95		
13	GN-1/8-45	GREASE NIPPLE	8	PT1/8" *45도		
14	DU3540	DU BUSHING	8	DU3540		
15	MWBM0808W	SET SCREW(WHITE)	2	M8*8L		
16	BALL-3/16"	STEEL BALL	2	3/16"		
17	DU4050	DU BUSHING	8	DU4050		
18	52X0G103/52X0G102	HYDRAULIC PIPE(R/L)	2(R1/L1)	~10*1t*98*113*450	52XG10A/53XG10A	
19	BMC10-1/4	MALE CONNECTOR	2	~10*1/4PT		
20	BHUM10-02G	MALE HOSE UNION	2	~10*1/2-20UNF		
21	31S71210	ORIFICE ASSEMBLY	2			
22	31S71202	ORIFICE ADAPTER	2	19*19*55L	52XG11A/53XG11A	
23	HMCN-1/4-1/4S	STEEL NIPPLE(ST)	2	PT1/4*PT1/4		
24	31S71203	ORIFICE SPRING	2	~1*~9*~11*8C*18L	52XG12A/53XG12A	
25	31S71201	ORIFICE	2	9*9*8L, (~1.2)	52XG13A/53XG13A	
26	52G04528	BOTTOM LOCK ARM	4	16t*111*570	52XG14A/53XG14A	
27	52G05010	UPPER LOCK ARM	4	16t*102.5*591.5	52XG15A/53XG15A	
28	53G05300	UPPER LOCK ARM(R/L)	2(R1/L1)		53XG30A	HL-53X ONLY
29	52G05020/53G05020	UPPER LOCK ARM SUPPORTER	2	6t*55*122*124	52XG16A/53XG16A	
30	RHCBM0610	ROUND HEAD BOLT	12	M6*10L		


31	WSM06	SPRING WASHER	12	M6		
32	WRBM1225	ROUND HEAD WRENCH BOLT	8	M12*25L		
33	WSM12	SPRING WASHER	16	M12		
34	L5BAG130	BOTTOM LOCK ARM SUPPORTER	2	9t*124*127*131	52XG17B/53XG17B	
35	WRBM1230	ROUND HEAD WRENCH BOLT	8	M12*30L		
36	51G95100	JACK AIR CYLINDER BRACKET	2	3.2t*38*50*84	52XG19A	HL-52X ONLY
	53G95100	LOCK RELEASE AIR CYLINDER BRACKET	2	3.2t*38*84*85	53XG19A	HL-53X ONLY
37	52F04590	PROXIMITY SENSOR BRACKET(52F/53G)	2	2.3t*30*76	53XG18A	HL-53X ONLY
38	52F10380	HARNESS(PROXIMITY SENSOR 1)	2	120L	53XW10A	HL-53X ONLY
39	52X0G201	TUBE(SLAVE)	2			
40	52X0G202	ROD BAR(SLAVE)	2			
41	52X0G230	PISTON(SLAVE)	2	^89*42.5L	52XG23A/53XG23A	
42	UHP908006	U-PACKING	2	^90*^80*6B		
43	WEAR908515P	WEAR RING(POLY)	2	^90*^85*2.5t*15H		
44	ORP40	O-RING	2	P40		
45	52X0G240	HEAD COVER(SLAVE)	2	^100*41L	52XG24A/53XG24A	
46	DHS4048065	DUST SEAL(DHS40)	2	^40*^48*6.5/5B		
47	DU4030	DU BUSHING	2	DU4030		
48	HMC-1/4-05U	STEEL NIPPLE(ST)	2	PT1/4*05U		
49	52F71205	ORIFICE GUIDE	2	^20*^13.5*5t	52XG27A/53XG27A	
50	52N53628	EXTENSION SPRING	2	^0.8*^14*65C	52XG38A/53XG38A	
51	L5BAG410	CABLE HOLDER(1)	2	1.6t*18*50*50	52XG41B/53XG41B	
52	TRTBM0513	TRUSS HEAD TAPPING BOLT	4	M5*13L		
53	L5BAG420	CABLE HOLDER(2)	2	2.3t*25*50*53	52XG42A/53XG42A	
54	52F00350	LOCK RELEASE AIR CYLINDER ASSEMBLY	2		52XU00A/53XU00A	
55	30N93120	TUBE(LOCK RELEASE AIR CYLINDER)	2	^35*58L	52XU02A/53XU02A	
56	EC0504E	ONE TOUCH AIR NIPPLE(ELBOW)	2	M5*90도*^4		
57	SN-CR25	CIRCLIP	2	CR25		
58	RHCBM0410	ROUND HEAD BOLT	8	M4*10L		
59	WSM04	SPRING WASHER	8	M4		
60	52F00353	PISTON(LOCK RELEASE AIR CYLINDER)	2	^20*49L	52XU03A/53XU03A	
61	ORP16	O-RING	2	P16		
62	30N93150	LOCK RELEASE AIR CYLINDER SPRING	2	^18.4*^16*^36L*5C	52XU05A/53XU05A	
63	30N93160	HEAD COVER(LOCK RELEASE AIR CYLINDER)	2	^25*4.5L	52XU06A/53XU06A	
64	42F04759	AIR CYLINDER ROD GUIDE BAR	2	^11*10L	52XU07A/53XU07A	
65	52X0G003	CYLINDER ASSEMBLY(MASTER)	2		52XG00B/53XG00B	
66	52X0G203	CYLINDER ASSEMBLY(SLAVE)	2		52XG20A/53XG20A	
67	52X0G004	52X-CYLINDER SEAL KIT(MASTER)	2			
68	52X0G204	52X-CYLINDER SEAL KIT(SLAVE)	2			




NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG.NO.	NOTE
1	52G54000	TIRE STOPPER BASE(IN-GROUND)	2		52XB70A/53XB70A	IN-GROUND ONLY
2	52G90400	IN-GROUND AUXILIARY PLATFORM	2		52XB90A/53XB90A	IN-GROUND ONLY
3	WBM1020	WRENCH BOLT	4	M10*20L		
4	WSM10	SPRING WASHER	4	M10		
5	WPM10	PLAIN WASHER	4	M10		
6	52G50010/52G50030	CENTER ROLLING JACK CROSS BAR(1)(R/L)	2(R1/L1)		52XD20B/53XD20B	
7	52G07522	TIRE STOPPER HINGE PIN(IN-GROUDN)	4	^25*354.8L	52XH05A/53XH05A	IN-GROUND ONLY
8	SN-CS25	CIRCLIP	8	CS25		
9	52G51000	TIRE STOPPER(1)	2		52XH10A/53XH10A	IN-GROUND ONLY
10	52G52000/52G52001	TIRE STOPPER(2)(R/L)	2(R1/L1)		52XH20A/53XH20A	IN-GROUND ONLY
11	HEXM1230	HEX BOLT	6	M12*30L		
12	WSM12	SPRING WASHER	6	M12		
13	WPM12	PLAIN WASHER	6	M12		
14	HEXM1430	HEX BOLT	6	M14*30L		
15	WSM14	SPRING WASHER	6	M14		
16	WPM14	PLAIN WASHER	6	M14		




NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG.NO.	NOTE
1	52G75000/52G75001	TIRE STOPPER(R/L)	2(R1/L1)		52XH50A/53XH50A	
2	52G05510	RAMP	2		52XL00B/53XL00B	
3	52G05520	RAMP HINGE PIN	2	^25*462.8L	52XL07A/53XL07A	
4	SN-CS25	CIRCLIP	4	CS25		
5	33J61200	RAMP ROLLER	4	^30*^16*228L	52XL08A/53XL08A	
6	52G61300	RAMP ROLLER PIN	2	^15*511.4L	52XL09A/53XL09A	
7	SN-CS15	CIRCLIP	4	CS15		
8	52G06100	CONNECT RAMP	2		52XP00A/53XP00A	
9	HEXM1230	HEX BOLT	6	M12*30L		
10	WSM12	SPRING WASHER	6	M12		
11	WPM12	PLAIN WASHER	6	M12		
12	HEXM1430	HEX BOLT	6	M14*30L		
13	WSM14	SPRING WASHER	6	M14		
14	WPM14	PLAIN WASHER	6	M14		
15	52G50010/52G50030	CENTER ROLLING JACK CROSS BAR(1)(R/L)	2(R1/L1)		52XD20A/53XD20A	
16	52G58235	BOTH SIDES RAMP BRACKET	2		52XH30A/53XH30A	
17	52G58270	BOTH SIDES RAMP ASSEMBLY KIT-OPTION	1			



NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG. NO.	NOTE
1	52G06000	SIDE SLIP PLATE	2		52XJ00A/53XJ00A	
2	SN-E15	E-RING	8	E-15		
3	WPM20	PLAIN WASHER	8	M20(^40*^21*2.6t)		
4	52G06050	SIDE SLIP SPRING HOLDER	8	3.2t*20*110	52XJ04A/53XJ04A	
5	52G06060	SIDE SLIP SPRING HOLDER WASHER	8	^20*4.5t	52XJ05A/53XJ05A	
6	51G10237	SIDE SLIP PLATE LOCKER	4	^10*60*60L	52XJ06A/53XJ06A	
7	51G10239	JOIN RING	4	^24	52XJ06A/53XJ06A	
8	51G10242	CHAIN	4	^3*12*35	52XJ06A/53XJ06A	
9	52G06070	RETURN SPRING	8	^13*^1.5*128L	52XJ09A/53XJ09A	
10	52G06600	SIDE SLIP PLATE BASE	2		52XJ10A/53XJ10A	
11	TRTBW0620	TRUSS HEAD BOLT	32	M6*20L		
12	HNM08	HEX NUT	24	M8		
13	RHCBM0815	ROUDN HEAD BOLT	4	M8*15L		
14	WSM08	SPRING WASHER	4	M8		
15	WPM08	PLAIN WASHER	4	M8		
16	51G00315	SLIDE BALL PLATE ASS'Y	12		52XJ30A/53XJ30A	
17	51G00320	SLIDE BALL PLATE	12	8.5*195*378	52XJ31A/53XJ31A	
18	51G00330	SLIDE BALL	240	^15	52XJ32A/53XJ32A	
19	51G00340	SPRING HOLDER	24	^30*2t	52XJ33A/53XJ33A	
20	51G00350	SLIDE PLATE SPRING	96	^8*^0.8*37C*45.5L	52XJ34A/53XJ34A	
21	HNM06	HEX NUT	8	M6		




NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG.NO.	NOTE
1	52X00210	HYDRAULIC BLOCK COVER	1	1.6t*80*235*1080	52X021A/53X021A	
2	TRTBM0513	TRUSS HEAD TAPPING BOLT	4	M5*13L		
3	52X00220	HYDRAULIC BLOCK BASE	1	3.2t*25*230*980	52X022A/53X022A	
4	CN-0530	SCREW	4	^5*30L		
5	CBW-05	NYLON PLUG	4	^5		
6	52X00300	CENTRAL BLOCK ASSEMBLY	1		52X030A/53X030A	
7	52X00310	CENTRAL BLOCK	1	40*55*220	52X031A/53X031A	
8	WBM0535	WRENCH BOLT	2	M5*35L		
9	HMCN-1/4-05U	STEEL NIPPLE(ST)	10	PT1/4*05U		
10	HMCN-1/4-05UE	STEEL NIPPLE(EL)	1	PT1/4*05U		
11	STPLUG-1	LOCKING BOLT	1	PF1/8(플러그용)		
12	MWBU1-4-11	LOCKING BOLT	2	PT1/4*11L		
13	NDL-V/V-047-N2	NEEDLE VALVE(KNOB2)	2	3/4-16UNF	52X032A/53X032A	
14	NDL-V/V-047	NEEDLE VALVE	2	3/4-16UNF	52X032A/53X032A	
15	NDL-V/V-DIAL	DIAL HANDLE(FOR NEEDLE VALVE)	2	^22*9L	52X032A/53X032A	
16	MWBM0408	SET SCREW	2	M4*8L		




NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG. NO.	NOTE
1	30N80110	REMOTE CONTROLLER HANGER	1	3tx19x50x100	53XQ14A	
2	TRTBM0513	TRUSS HEAD TAPPING BOLT	37	M5x13L		
3	42F80090	EARTH PLATE	1	10x31x10x110	53XQ17A	
4	31S80094	REGULATOR PROTECTOR	1	1.6tx35x106x162	53XQ21A	
5	52F10090	ANCHOR BOLT BRACKET	2	3.2tx30x50x60	53XQ13A	
6	ANCW-16-125	WEDGE ANCHOR BOLT	2	M16*125L		
7	52F10110	DOOR KEY SET	1	16x28x116	53XQ04A	
8	52N54618	CONTROL PCB PROTECT COVER	1	1.6tx90x145.8x171	53XQ23A	
9	31S79310	MANUAL POCKET	1	1.6tx20x180x200	53XQ15A	
10	31S79410	AIR SOLENOID BRACKET	1	1.6tx40x40x120	53XQ25A	
11	30N80100	VIBRATION PROOF RUBBER	4	Ø30x20HxM8x45L, 경도65, 네오프렌	53XQ20A	
12	53G80100-53G85700	POWER PACK ASSEMBLY	1	220V/380V/415V-1P/3P-50Hz/60Hz-0J/1J/2J	53XQ26A	
13	90000070	AIR UNIT	1	TAC-3010-02G	53XQ24A	
14	EC64PT1/4EL	ONE TOUCH AIR NIPPLE(EL)	2	PT1/4x6x4x엘보		
15	CP-8M20	COUPLER	1	20PM		
16		PANEL UPPER COVER FILM	1	0.5tx163x326	53XQ08A	
17	32X96000	CONTROL PANEL BODY	1	2.3tx271.1x401.6x850.3	53XQ01B	
18	31X89030	CONTROL PANEL FRONT PLATE	1	2.3tx20x401.6x815	53XQ03A	
19	31X89040	CONTROL PANEL BASE	1	3.2tx54x265x394	53XQ18A	
20	53G89130	ELECTRIC PARTS PLATE	1	1.6tx54.1x263.5x394	53XQ16A	
21	31X89050	PANEL UPPER FRONT PLATE	1	1tx163x326	53XQ07A	
22	RHCDBM0310	C'SINK BOLT	4	M3x10L		
23	WSM03	SPRING WASHER	4	M3		
24	WPM03	PLAIN WASHER	4	M3		
25	HNM03	HEX NUT	6	M3		
26	31X89060	PANEL HINGE	1		53XQ09A	
27	53G89070	CONTROL PANEL UPPER COVER	1	5tx163x304x4.5	53XQ06A	
28	31X89080	ABS COVER PROTECTOR	1	2.3tx19x351.2	53XQ12A	
29	33X80050	CABLE HOLDER	1	1.6tx11.1x20x86.5	53XQ19A	
30	33X89150	CONTROLLER HAND PROTECTOR	1	1.6tx17x63.4x227	53XQ22A	
31	HNM08	HEX NUT	4	M8		
32	WSM08	SPRING WASHER	4	M8		
33	WPM08	PLAIN WASHER	4	M8		
34	L5BAQ180	HINGE PIN	2	Ø6x50L		

35	90000150	CAM SWITCH	1	YMW26-20/04		
36	KP5BRRFW10S	PUSH BUTTON SWITCH WHITE	3	(Ø25 평면)		
37	KP5BRRFBK10S	PUSH BUTTON SWITCH BLACK	4	(Ø25 평면)		
38	KP5BRRFG10S	PUSH BUTTON SWITCH GREEN	1	(Ø25 평면)		
39	90000710	LED LAMP	1	LD-HB8L(RED)DC24V		
40	31S80060	BUZZER	1	Ø25 ADS(DC12/24V)		
41	DJR602-4210(LF)	SEESAW SWITCH(LAMP BUTTON)	1	DJR602-4210(LF)		
42	53G96000	REMOTE CONTROLLER(JACK2)	1		53XW20A	
	53X0W120	REMOTE CONTROLLER(KCS TYPE)	1	0.75SQ*12C*10000L 비상스위치있음	53XW12A	KCs TYPE ONLY
43	52N57351	AIR SOLENOID VALVE	1			
44	EC425PT1/4E	ONE TOUCH AIR NIPPLE(EL)	1	PT1/4xØ4xØ2.5		
45	SILENC-PT1/4*22H	SILENCER	1	PT1/4x22H		
46	RHCBM0330	ROUND HEAD BOLT	2	M3x30L		
47	53G80055	PCB(MICOM,53G)VER.2	1			
48	52F79020	TRANSFORMER 400/230x0/18	1	128VA ST-BASE		
49	90000041	MAGNET SWITCH	1	GMC(D)-12		
50	52F00710	OCR(THERMO-RELAY)	1	9-12A		
51	52F00720	TERMINAL BLOCK(YELLOW/GREEN)	1	334 120		
	52F00730	TERMINAL BLOCK(BLUE)	1	20A(KLEMSAN,2.54mm)		
	52F00740	TERMINAL BLOCK(GREY)	3	304 120		
52	C50SHC	CHANNEL	1	SH-Cx50L		
53	C115SHC	CHANNEL	1	SH-Cx115L		
54	30H94115	CIRCUIT BREAKER	1	ABE33/20		
55	90000015	FUSE HOLDER(HY-FIS)250V 1~30A 1P	2			
56	F-250V1A	FUSE	1	250V1A		
57	F-250V5A	FUSE	1	250V5A		
58	30H94130	STOPPER(FOR RAIL)	2			
59	L5BAQ003	CABLE DUCT(BODY/COVER)	1	30x60x180		
60	NEC-01-20A	CABLE LOCKER	2	NEC-01-20A(조립부 Ø26)		
61	NEC-01-12A	CABLE LOCKER	2	NEC-01-12A(조립부 Ø17)		
62	PCAP25	PLASTIC CAP(FOR HOLE-BLACK)	2	Ø25		
63	DABS-6R	BOLT SUPPORT	4	DABS-6R		
64	TRTBM0408	TRUSS HEAD BOLT	16	M4x8L		
65	RHCBM0412	ROUND HEAD BOLT	2	M4x12L		
66	53X0Q060	CONTROL PANEL UPPER COVER(KCS TYPE)	1	5tx163x304x4.5	53XQ06A	KCs TYPE ONLY
67	KH-3046ER	EMERGENCY PUSH BUTTON SWITCH	1	KH-3046ER(250V 6A)		KCs TYPE ONLY




NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG.NO.	NOTE
1	52G53100	CENTER ROLLING JACK CROSS BAR	2		52XX50A/53XX50A	
2	52F50025	CLIP PLATE	8		52XX50A/53XX50A	
3	HEXM14120	HEX BOLT	8	M14*120L		
4	WSM14	SPRING WASHER	8	M14		
5	WPM14	PLAIN WASHER	8	M14		
6	MWBM0810	SET SCREW	8	M8*10L		




NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG.NO.	NOTE
1	J0241000	PLATFORM	2		J03B00C	
2	WBM0815	WRENCH BOLT	4	M8x15L		
3	J0282000	PLATFORM SHAFT	2	Ø25x214L	J03B05A	
4	SN-CS25	CIRCLIP	16	CS25		
5	J0325000	SLIDE PLATE(R)	2		J03C00C	
6	J0326000	SLIDE PLATE(L)	2		J03C00C	
7	WBDM1225	C'SINK WRENCH BOLT	4	M12x25L		
8	J0279100	ROTATE ARM	4	19tx120x270	J03C06B	
9	J0283100	ROTATE ARM SPACER	4	Ø90xØ52x2.3t	J03C07A	
10	J0284000	ROTATE ARM SHAFT COVER	4	Ø65x9L	J03C08A	
11	J0327000	BASE	2		J03D001	
12	MWBM0815	SET SCREW	8	M8x15L		
13	J0276000	BASE SHAFT	2	Ø25x180L	J03D08A	
14	J0260000	CYLINDER ASSEMBLY	2		J03E00D	
15	J0261130	PISTON	2	Ø75x38L	J03E01E	
16	J06S0000	JACK CYLINDER SEAL KIT(J06)	2			
17	UHP65756	U-PACKING(UHP65)	2	Ø65xØ75x6B		
18	WEAR707595	WEAR RING	2	Ø70xØ75x10B		
19	ORP30	O-RING	2	P30		
20	WBHM1230	WRENCH BOLT(H)	2	M12x30L		
21	J0261200	TUBE	2	Ø75xØ88x165L		
22	J0261140	HEAD COVER	2	Ø88x30L	J03E03B	
23	WEAR353010	WEAR RING	2	Ø35xØ30x10B		
24	DHS303805	DUST SEAL(DHS30)	2	Ø30xØ38x5tx6.5H		
25	SILENC-PT1/8x15H	SILENCER	2	PT1/8x15H		
26	HMCN-1/4-05UE	STEEL NIPPLE(EL)	4	PT1/4x05U		
27	J0261100	ROD BAR(JACK)	2			
28	GN-1/8-45	GREASE NIPPLE	2	PT1/8"x45°		
29	J0278000	CYLINDER ROD SHAFT	2	Ø20x158L	J03E08C	
30	SN-CS20	CIRCLIP	6	CS20		
31	J0461200	HYDRAULIC HOSE(S)	2	1/4"x1Wx430LxSTxST	J03E09C	
32	J0320100	JACK EXTENSION(1)(52G/P,53G)	2		J03F30D	
33	J0320200	JACK EXTENSION(2)(52G/P,53G)	2		J03F30D	


34	HEXM0610	HEX BOLT	6	M6x10L		
35	J0180025	PREVENT PLATE LEAVE THE JACK	4	3.2t x 50 x 88.2 x 100	J03F32B	
36	J0180035	ROLLER SQUARE BAR(52F)	8			
37	HEXM0840	HEX BOLT	8	M8x40L		
38	WSM08	SPRING WASHER	8	M8		
39	WPM08	PLAIN WASHER	8	M8		
40	SN-E08	E-RING	8	E-8		
41	WPM10	PLAIN WASHER	8	M10		
42	J0180070	TRANSPORT ROLLER(52F/G/P,53G)	8	Ø 30x23L	J03F38D	
43	NRB101415B	BEARING(NEEDLE ROLLER)	8	Ø 10xØ 14x15B		
44	J0200010	ROLLER SPRING	8	Ø 14xØ 2.5x24Lx6C	J06F08B	
45	J0221000	LINK 1	2		J03G00C	
46	J0288100	ROLLER	8	Ø 52x20L	J03G04A	
47	DU2520	DU BUSHING	8	DU2520		
48	J0279000	UPPER ROLLER SHAFT	2	Ø 25x201L	J03G06A	
49	J0231000	LINK 2	2		J03H00C	
50	J0280000	BOTTOM ROLLER SHAFT	2	Ø 25x235L	J03H04A	
51	J0281000	LINK CENTER SHAFT	2	Ø 28x195L	J03H05E	
52	SN-CS28	CIRCLIP	4	CS28		
53	J0270100	SAFETY STOPPER	2		J03I00D	
54	MWBM0610	SET SCREW	2	M6x10L		
55	J0272100	SAFETY STOPPER SHAFT	2		J03I00D	
56	BALL-3/8	STEEL BALL	2	3/8" (Ø 9.51)		
57	J0200030	OVAL GRIP	2	Ø 25x58LxM8		
58	J0200020	LEVER STOP SPRING	2	0.D Ø 9x Ø 1x38Lx12.5C	J03I07B	
59	33J70040	SUPPORT RUBBER	8	35tx160x100		





NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG.NO.	NOTE
1	52G79995/53G79995	PIT FRAME ASSEMBLY(52G/53G)	1		52XA10A/53XA10A	IN-GROUND ONLY
2		PIT FRAME 1	1	1.6t*88.4*262*2306.6	52XA11A/53XA11A	IN-GROUND ONLY
3	HEXM1025	HEX BOLT	36	M10*25L		IN-GROUND ONLY
4	HNM10	HEX NUT	36	M10		IN-GROUND ONLY
5		PIT FRAME 2	1	1.6t*88.4*262*2306.6	52XA12A/53XA12A	IN-GROUND ONLY
6		PIT FRAME 3	2	1.6t*88.4*262*2220	52XA13A/53XA13A	IN-GROUND ONLY
7		PIT FRAME 4	2	1.6t*30*30*2300	52XA14A/53XA14A	IN-GROUND ONLY
8		PIT FRAME 5	3	1.6t*30*30*2223	52XA15A/53XA15A	IN-GROUND ONLY
9		PIT FRAME 2-6	4	1.6t*30*30*1145	52XA16A/53XA16A	IN-GROUND ONLY
10		PIT FRAME 7	1	1.6t*88.4*262*2275	52XA17A/53XA17A	IN-GROUND ONLY
11		PIT FRAME 8	1	1.6t*88.4*262*2275	52XA18A/53XA18A	IN-GROUND ONLY




NO.	PART NUMBER	DESCRIPTION	Q'TY	DIMENSION	DWG. NO.	NOTE
1	52G40210	HYDRAULIC HOSE 2 (GOLD)	1	5/16" * 1W * 9000L * EL * ST	52XQ31A/53XQ31A	
2	52G40210	HYDRAULIC HOSE 2 (SILVER)	1	5/16" * 1W * 9000L * EL * ST	52XQ31A/53XQ31A	
3	52G40210	HYDRAULIC HOSE 2 (BLACK)	1	5/16" * 1W * 9000L * EL * ST	52XQ31A/53XQ31A	
4	52X0Q014	HYDRAULIC HOSE 4	2	5/16" * 1W * 1100L * ST * ST.	52XQ31A/53XQ31A	
5	52X0Q015	HYDRAULIC HOSE 5	1	5/16" * 1W * 1200L * ST * ST.	52XQ31A/53XQ31A	
6	52X0Q016	HYDRAULIC HOSE 6	1	5/16" * 1W * 1200L * ST * ST.	52XQ31A/53XQ31A	
7	52X0Q017	HYDRAULIC HOSE 7	1	5/16" * 1W * 3550L * ST * ST.	52XQ31A/53XQ31A	
8	52X0Q018	HYDRAULIC HOSE 8	1	5/16" * 1W * 3550L * ST * ST.	52XQ31A/53XQ31A	
9	52G40400	HYDRAULIC HOSE 4 (S)	2	5/16" * 1W * 3750L * ST * ST	52XQ31A/53XQ31A	
10	52G40500/53G40500	HYDRAULIC HOSE 5 (C/B)	2	1/4" * 1W * 2300L * ST * EL / 2500L	52XQ31A/53XQ31A	
11	HME-02G	STEEL NIPPLE (EL) UNION	2	05U 엘보		
12	52X0Q250	JACK CONNECT PIPE ASS'Y	2		52XQ35A/53XQ35A	
13	52G70025	HYDRAULIC PIPE	2	∅10 * 80 * 80	52XQ35A/53XQ35A	
14	BLM10-02R	MALE ELBOW (BLM10-02R)	2	∅10 * PT1/4		
15	BHUM10-02G	MALE HOSE UNION	2	∅10 * 1/2-20UNF		








3PORT/2WAY AIR DIRECTIONAL
SOLENOID VALVE DC24V



POWER (COMPRESSOR)



AIR FILTER/REGULATOR